

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : AQUAPY

Product code : Article/SKU: 05702843 UVP: 06477402 Specification:  
102000011789

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide  
stance/Mixture

### 1.3 Details of the supplier of the safety data sheet

Company : 2022 Environmental Science FR S.A.S.  
For GB - Milton Hall, Ely Rd, Milton, Cambridge CB24 6WZ, United Kingdom  
For IE/ NI - 3 Place Giovanni Da Verrazzano 69009 Lyon, France

Telephone : 00800 1214 9451

E-mail address of person : service.clients.es.france@envu.com  
responsible for the SDS

### 1.4 Emergency telephone number

For Emergency or Spill call:  
+44 20 3807 3798 (24/7 multilingual support)

IE: National Poisons Information Centre (for public):  
01 809 2166

IE: National Poisons Information Centre (for professionals):  
01 809 2566

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

**Prevention:**

P273 Avoid release to the environment.

**Response:**

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.



Signal word

:

Warning

Hazard statements

:

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

**P273 Avoid release to the environment.**

**P391 Collect spillage.**

**P501 Dispose of contents/ container to an approved waste disposal plant.**

### Additional Labelling

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

EUH208

Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Emulsion, oil in water (EW)

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	51-03-6 200-076-7 604-096-00-0 01-2119537431-46	Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH066  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
Chrysanthemum cinerariaefolium, ext.	89997-63-7 289-699-3 613-022-00-6	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100  Acute toxicity estimate  Acute oral toxicity: 700 mg/kg	>= 2.5 - < 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version 1.0      Revision Date: 31.03.2023      SDS Number: 11188217-00001      Date of last issue: -  
Date of first issue: 31.03.2023

		Acute inhalation toxicity (dust/mist): 3.4 mg/l	
Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-	27306-78-1	Acute Tox. 4; H332 Eye Irrit. 2; H319 Aquatic Chronic 2; H411  Acute toxicity estimate  Acute inhalation toxicity (dust/mist): 2 mg/l	$\geq 2.5 - < 10$
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	64742-48-9 01-2119456620-43	Asp. Tox. 1; H304 EUH066	$\geq 1 - < 10$
(Z)-9-Octadecen-1-ol ethoxylated	9004-98-2	Eye Dam. 1; H318	$\geq 1 - < 3$
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100  specific concentration limit Skin Corr. 1C; H314 $\geq 0.6\%$ Skin Irrit. 2; H315 $0.06 - < 0.6\%$ Eye Irrit. 2; H319 $0.06 - < 0.6\%$ Skin Sens. 1A; H317 $\geq 0.0015\%$ Eye Dam. 1; H318 $\geq 0.6\%$ EUH071 $\geq 0.6\%$	$\geq 0.0002 - < 0.0015$

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

		Acute toxicity estimate  Acute oral toxicity: 64 mg/kg Acute inhalation toxicity (dust/mist): 0.171 mg/l Acute dermal toxicity: 87.12 mg/kg	
--	--	---	--

For explanation of abbreviations see section 16.

### Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	2682-20-4, 26172-55-4

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                            |   |
|----------------------------|---|
| Protection of first-aiders | : No special precautions are necessary for first aid responders.  |
| If inhaled                 | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.  |
| In case of skin contact    | : Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                   |
| In case of eye contact     | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                    |
| If swallowed               | : If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water. |

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |
|-----------|---|
| Treatment | : Treat symptomatically and supportively. |
|-----------|---|

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                              |   |
|------------------------------|---|
| Suitable extinguishing media | : Water spray<br>Alcohol-resistant foam |
|------------------------------|---|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Silicon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate contain-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.   |
| Advice on safe handling | : | Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |   |   |   |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Keep tightly closed.<br>Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. |
| Advice on common storage                      | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Explosives<br>Gases  |

### 7.3 Specific end use(s)

- |                 |   |                   |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	Workers	Inhalation	Long-term systemic effects	3.875 mg/m3
	Workers	Inhalation	Acute systemic effects	7.75 mg/m3
	Workers	Inhalation	Long-term systemic effects	3.875 mg/m3
	Workers	Inhalation	Acute local effects	3.875 mg/m3
	Workers	Skin contact	Long-term systemic effects	27.7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	55.5 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.44 mg/cm2
	Workers	Skin contact	Acute local effects	0.888 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	1.94 mg/m3
	Consumers	Inhalation	Acute systemic effects	3.875 mg/m3
	Consumers	Inhalation	Long-term local effects	1.94 mg/m3
	Consumers	Inhalation	Acute local effects	1.94 mg/m3
	Consumers	Skin contact	Long-term systemic effects	13.9 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	27.8 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.22 mg/cm2
	Consumers	Skin contact	Acute local effects	0.22 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	1.14 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	2.3 mg/kg bw/day
Glycerides, mixed decanoyl and octanoyl	Workers	Inhalation	Long-term systemic effects	177.79 mg/m3
	Workers	Skin contact	Long-term systemic effects	25.21 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43.84 mg/m3



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version 1.0      Revision Date: 31.03.2023      SDS Number: 11188217-00001      Date of last issue: -  
Date of first issue: 31.03.2023

	Consumers	Skin contact	Long-term systemic effects	12.61 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.61 mg/kg bw/day
Hexadecan-1-ol	Workers	Inhalation	Long-term systemic effects	220 mg/m3
	Workers	Inhalation	Acute systemic effects	220 mg/m3
	Workers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	125 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	65 mg/m3
	Consumers	Inhalation	Acute systemic effects	65 mg/m3
	Consumers	Skin contact	Long-term systemic effects	75 mg/kg bw/day
	Consumers	Ingestion		75 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)	Fresh water	0.001 mg/l
	Marine water	0.0001 - 0.000148 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.019 mg/kg
	Marine sediment	0.0002 mg/kg
	Soil	0.016 mg/kg
	Oral (Secondary Poisoning)	12.53 mg/kg food
Glycerides, mixed decanoyl and octanoyl	Oral (Secondary Poisoning)	0.03 mg/kg food
Hexadecan-1-ol	Fresh water sediment	30 mg/kg dry weight (d.w.)
	Marine sediment	3 mg/kg dry weight (d.w.)
	Soil	5.8 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety glasses  
Equipment should conform to EN 166

Hand protection

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : > 0.4 mm  
Directive : Equipment should conform to EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Filter type : Organic vapour type (A)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Emulsion  
Colour : White to light yellow  
Odour : characteristic, very faint  
Odour Threshold : No data available  
Melting point/freezing point : No data available  
Initial boiling point and boiling range : No data available  
Flammability (solid, gas) : Not applicable  
Flammability (liquids) : No data available  
Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

---

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 79.00 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	<= 6.0 (23 °C) Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	<= 100 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density	:	1.00 g/cm <sup>3</sup> (20.00 °C)
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	<= 4.00 µm  <= 5.00 µm

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Surface tension	:	25.80 mN/m, 25 °C
Minimum ignition energy	:	No data available
Molecular weight	:	No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Combustible liquid.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

##### Acute toxicity

Not classified based on available information.

Not classified based on available information.

##### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

##### Components:

##### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

### **Chrysanthemum cinerariaefolium, ext.:**

Acute oral toxicity : LD50 (Rat): 700 - 2,140 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): 2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **(Z)-9-Octadecen-1-ol ethoxylated:**

Acute oral toxicity : LD50 (Rat): 2,760 mg/kg

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.171 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

### Skin corrosion/irritation

Not classified based on available information.  
Not classified based on available information.

#### Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### Components:

##### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

##### **Chrysanthemum cinerariaefolium, ext.:**

Species	: Rabbit
Result	: No skin irritation

##### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Species	: Rabbit
Result	: No skin irritation

##### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Species	: Rabbit
Result	: No skin irritation
Remarks	: Based on data from similar materials

Assessment : Repeated exposure may cause skin dryness or cracking.

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

Not classified based on available information.  
Not classified based on available information.

#### Product:

Species	: Rabbit
Method	: OECD Test Guideline 405

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Result : No eye irritation

### Components:

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

#### **Chrysanthemum cinerariaefolium, ext.:**

Species : Rabbit  
Result : No eye irritation

#### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **(Z)-9-Octadecen-1-ol ethoxylated:**

Result : Irreversible effects on the eye

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Product:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Result : negative

### Components:

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### **Chrysanthemum cinerariaefolium, ext.:**

Test Type	: Buehler Test
Species	: Guinea pig
Result	: negative

#### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

#### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

### **Germ cell mutagenicity**

Not classified based on available information.  
Not classified based on available information.

### Components:

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

### **Chrysanthemum cinerariaefolium, ext.:**

Genotoxicity in vitro : Result: negative

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Genotoxicity in vitro : Test Type: Mutagenicity (in vitro mammalian cytogenetic test)  
Result: negative  
Remarks: Based on data from similar materials

### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.  
Not classified based on available information.

### **Components:**

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 107 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.  
Not classified based on available information.

### **Components:**

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Chrysanthemum cinerariaefolium, ext.:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

### Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

### STOT - single exposure

Not classified based on available information.  
Not classified based on available information.

### Components:

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.  
Not classified based on available information.

### Repeated dose toxicity

### Components:

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):

Species : Rat  
NOAEL : 1,323 mg/kg  
Application Route : Ingestion  
Exposure time : 7 Weeks

#### Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:

Species : Rat  
NOAEL : 450 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.  
Not classified based on available information.

### Components:

### Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.24 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.216 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 4.9 mg/l  
Exposure time: 72 h

#### Components:

##### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.51 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-) : NOEC: 0.18 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

icity) Exposure time: 35 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : NOEC: 0.03 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 1  
toxicity)

### **Chrysanthemum cinerariaefolium, ext.:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0052 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.012 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 32.66 mg/l  
plants Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 15.15 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 100  
icity)

Toxicity to daphnia and other : NOEC: 0.00086 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 100  
toxicity)

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 6.8 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 22.61 mg/l  
aquatic invertebrates Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 32 mg/l  
plants Exposure time: 96 h  
Remarks: Based on data from similar materials

### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (*Pseudokirchneriella subcapitata* (green algae)): > 1,000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOELR (*Pseudokirchneriella subcapitata* (green algae)): 1,000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.16 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Skeletonema costatum* (marine diatom)): 0.0052 mg/l  
Exposure time: 48 h

NOEC (*Skeletonema costatum* (marine diatom)): 0.00049 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 0.02 mg/l  
Exposure time: 36 d  
Species: *Pimephales promelas* (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.10 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

## 12.2 Persistence and degradability

### Components:

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Exposure time: 28 d  
Method: OECD Test Guideline 301D

### **Chrysanthemum cinerariaefolium, ext.:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

### **Poly(oxy-1,2-ethanediyl), $\alpha$ -methyl- $\omega$ -[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-:**

Biodegradability : Result: Not readily biodegradable.

### **Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 69 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 62 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

## 12.3 Bioaccumulative potential

### **Components:**

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO):**

Partition coefficient: n-octanol/water : log Pow: 5

### **Chrysanthemum cinerariaefolium, ext.:**

Bioaccumulation : Bioconcentration factor (BCF): 471

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Partition coefficient: n-octanol/water : log Pow: < 1

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product  
02 01 08, agrochemical waste containing hazardous substances

unused product  
02 01 08, agrochemical waste containing hazardous substances

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3082

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

<b>ADR</b>	:	UN 3082
<b>RID</b>	:	UN 3082
<b>IMDG</b>	:	UN 3082
<b>IATA</b>	:	UN 3082

### 14.2 UN proper shipping name

<b>ADN</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chrysanthemum cinerariaefolium, ext.)
<b>ADR</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chrysanthemum cinerariaefolium, ext.)
<b>RID</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chrysanthemum cinerariaefolium, ext.)
<b>IMDG</b>	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chrysanthemum cinerariaefolium, ext.)
<b>IATA</b>	:	Environmentally hazardous substance, liquid, n.o.s. (Chrysanthemum cinerariaefolium, ext.)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	9
<b>ADR</b>	:	9
<b>RID</b>	:	9
<b>IMDG</b>	:	9
<b>IATA</b>	:	9

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Active substance : 30 g/l  
Chrysanthemum cinerariaefolium, ext.  
  
135 g/l  
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether (Piperonyl butoxide/PBO)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Remarks: Not applicable

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

H310	: Fatal in contact with skin.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.
EUH071	: Corrosive to the respiratory tract.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## AQUAPY

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188217-00001	Date of first issue: 31.03.2023

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

XI / EN