

PelGar International I td Unit 13 Newman Lane. Alton, Hampshire, GU34 2QR. UK. Tel. +44(0)1420 80744 International www.PelGar.co.uk DOM BATCH

FORTEFOG CT FUMER

Ready-for-use insecticidal smoke generator

Contains cynermethrin 7 53% w/w (7% w/w pure) & tetramethrin 0.27% w/w (0.25% w/w pure)

27g e

PelGar

See accompanying leaflet for full directions for use



WARNING

Very toxic to aquatic life with long lasting effects.

NOTE: This device may trigger smoke alarms/ detectors remove batteries or cover during treatment.

Ready-for-use insecticidal smoke generator for use against flying and crawling insects such as files, mosquitoes, wasps, moths, fleas, bed bugs, ants, mites, cockroaches, earwigs, silverfish and other bristletails, beetles and stored product insects including saw-toothed grain beetle, grain weevils, flour moth and grain mite.

For use in domestic and commercial situations, public hygiene areas including hospitals (not coupied wards), industrial and municipal buildings and food handing/storage/manufacturing premises. May also be used in 200s, pet shops, kennels, veterimary practices and shortoraty arrivant houses (excluding annum) persons and cages). Also for use in empty grain stores and for use in poultry houses against poultry red mites and little breefes.

Rate of application:

Apply at a rate of one generator per: 1000m³ for flying insects / 250m³ for fleas, bed bugs, carpet moths / 62.5m³ for ants and cockroaches

Instructions for use:

For best results furnigate in the late afternoon and leave the house or building for a minimum period of 2 hours.

1. Consider how many fumers you need for the room to be treated.

Clear people and animals from the room before use – cover or remove fish tanks and pet bedding.

Make the area to be furnigated as smoke tight as possible by closing all windows etc.
Place canister(s) spaced out on the floor on a heat resistant surface e.g. a plate on too of a sheet of aluminium foil Storm. SOcm.

5. Open canister(s) and light the fuse on the canister furthest from your exit point first, then light the next fumer and move lowards your exit point. Close the door on exit, it is not necessary to seal the door with taxe.

Leave for at least 2 hours but preferably overnight and then ventilate the room thoroughly.

7. For heavy infestations fumigate three times at five to seven day intervals.

8. For bed bug treatments always use in conjunction with a residual spray and dusting powder.

THIS DEVICE MAY TRIGGER SMOKE ALARMS/DETECTORS - REMOVE BATTERIES OR COVER DURING TREATMENT. THIS PRODUCT MAY EMIT SOME SPARKS UPON IGNITION. CAUTION MUST BE TAKEN WHEN LIGHTING THE PRODUCT.

THIS PRODUCT MUST NOT BE USED AGAINST HOUSEFLIES IN INTENSIVE OR CONTROLLED ENVIRONMENT ANIMAL HOUSES BECAUSE IT IS LIKELY TO CAUSE CONTROL FALLURE DUE TO INSECTICIDE RESISTANCE.

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE. FOR PROFESSIONAL USE ONLY. Users must comply in full with all their responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval. READ ALL PRECAUTIONS BEFORE USE. HSE No. XXXX

Warning

Very toxic to aquatic life with long lasting effects.

Precautions

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions. Avoid release to the⁴ environment. Collect spillage. Dispose of contents/container in accordance with national regulations. Wear protective gioves. PCS No. 102331

TO AVOID RISKS TO MAN AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTIONS FOR USE DO NOT CONTAMINATE FOODSTUEES FATING UTENSILS OR FOOD CONTACT SURFACES, AVOID CONTACT WITH SKIN. COVER ALL WATER STORAGE TANKS BEFORE APPLICATION. FOR INDOOR LISE ONLY, REMOVE OR COVER ALL EISH TANKS AND ROWLS REFORE APPLICATION, ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE LISED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES. FOR IRELAND: ALL BATS ARE PROTECTED UNDER SCHEDULE 5 OF THE WILDLIFE ACTS (1976 AND 2000) BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT THE NATIONAL PARKS AND WILDLIFE SERVICE. VENTILATE THE TREATED AREA THOROUGHLY WHEN THE SMOKE HAS CLEARED, EXCLUDE ALL PERSONS. AND ANIMALS DURING TREATMENT. HAZARDOUS TO BEES, ACTION SHOULD BE TAKEN TO PREVENT FORAGING BEES GAINING ACCESS TO TREATED NESTS, PREFERABLY BY REMOVING THE COMBS OR BLOCKING THE NEST ENTRANCE, WASH HANDS AND EXPOSED SKIN BEFORE MEALS AND AFTER USE. KEEP IN A SAFE PLACE.

When used by professional operators the following also applies:

Wear suitable gloves. Avoid excessive contamination of coveralls. The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

Use biocides safely and sustainably. This product should be used in accordance with the product label. Poisons Information: For information or to report a poisoning incident contact. The National Poisons Information Centre (01 8092-166).