

## SHAKE WELL BEFORE USE

Use biocides safely and sustainably. This product should be used in accordance with the product label. For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166). Dispose of contents/container in accordance with local regulations.

### Application:

Insecticide for amateur and professional use against flying and crawling insects such as flies, mosquitoes, ants, cockroaches, wasps, earwigs, silverfish and other bristletails, fleas, beetles, bedbugs, moths, booklice, mites, dust mites and spiders. For use on hard, porous and non-porous surfaces, hard and soft furnishings including bedding. For use domestic and commercial situations including kitchens, hospitals (excluding occupied wards), hotels, restaurants, public and municipal buildings and on board ships. For use outdoors on patios, paths, amenity areas, transit stations, refuse tips and wasps nests. May be used in the cargo holds of aircraft for pre-flight treatment and in refuse vehicles. For use in and around farm buildings, cow byres, pig sheds and milking parlours. For use in poultry houses against poultry red mites and litter beetles. Not for use on grain or in grain stores.

### Direct spray:

From a distance of 15cm spray directly onto the insect. For crawling insects such as bedbugs - a 2 second spray; for fleas - a 1 second spray.

### Surface spray:

From a distance of 20cm spray directly onto the surface where insects walk, into cracks, crevices and other insect harbourages - a 2-4 spray.

### Space spray:

Select the number of cans required to treat the space and place evenly throughout the area. Seal the area as best as possible closing any doors and windows. Cover or disable smoke alarms. Starting with the can furthest from the door push nozzle down firmly to lock into place, repeat for additional cans and leave the room closing the door behind you. Leave the treated area for two hours then ventilate (open doors and windows) for one further hour.

This can will take approximately 180 seconds to empty and is sufficient to treat an area of up to 530m<sup>3</sup> for flies, 140m<sup>3</sup> for moths and fleas and 70m<sup>3</sup> for bed bugs, cockroaches and other crawling insects.

**NOTE:** This device may trigger smoke alarms/detectors - remove batteries or cover during treatment.

*\*Contains 0.2% w/w chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical CO<sub>2</sub>.*

**Batch No. / Expiry date:** See base of can.



International

# PROTECTOR BIOSTRIKE™

## TOTAL RELEASE AEROSOL

### Insecticidal space and surface spray with rapid knockdown and kill.

Contains 0.2% w/w chrysanthemum  
cinerariaefolium extract\*

## 530ml e



### STATUTORY CONDITIONS RELATING TO USE FOR USE ONLY AS AN INSECTICIDE FOR AMATEUR USE AND PROFESSIONAL USE

Users must comply in full with all their responsibilities under the control of pesticides regulations 1986 (as amended), including complying with all conditions of approval.

### READ ALL PRECAUTIONS BEFORE USE. HSE No. 10957-001-GB

To avoid risks to man and the environment, comply with the instructions for use. Not to be used on pet bedding, pet sleeping quarters or where pets frequently lie. All bats are protected under the Wildlife and Countryside Act 1981. Before treating any structure used by bats consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales. Do not touch treated surfaces until dry. Keep in a safe place. Do not handle treated fabrics until dry and air thoroughly before use. Do not contaminate foodstuffs, eating utensils or food contact surfaces. This material and its container must be disposed of in a safe way. Hazardous to bees. Cover or remove fish tanks. Cover all water storage tanks before application. Wash hands and exposed skin before meals and after use. Do not apply directly to animals. Exclude animals during application. Do not apply to clothing. Action should be taken to prevent foraging bees gaining access to treated nests, preferably by removing the combs or blocking the nest entrances.

**When used by professional operators the following conditions also apply:** The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the user of this product at work. Avoid excessive contamination of coversalls. Protect milk containers and milk machinery from contamination. Exclude all persons and animals during treatment. Collect eggs and remove feed, exposed water and milk before application. Do not apply directly to livestock and poultry.

### Danger

Extremely flammable aerosol. Pressurised container: may burst if heated. Very toxic to aquatic life with long lasting effects.



Contains CHRYSANTHEMUM CINERARIAEFOLIUM EXTRACT IN PETROLEUM DISTILLATES - FROM OPEN AND MATURE FLOWERS OF TANACETUM CINERARIFOLIUM OBTAINED WITH SUPERCRITICAL CARBONDIOXIDE (89997-63-7), MGK 264 (113-48-4). May produce an allergic reaction.



### Precautions:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Collect spillage. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents and container in accordance with local and national regulations.

PCS 102654

Authorisation Holder UK:  
PelGar International Ltd.  
Unit 13 Newman Lane,  
Alton, Hampshire,  
GU34 2QR. UK.  
Tel. 01420 80744  
www.PelGar.co.uk

Authorisation Holder EU:  
PelGar International Ltd.  
18 rue des Remparts d'Ainay,  
69002 Lyon France

UFI: Q3Y2-A03Q-7009-X2G8

