

DEADLINE® WOODWORM TREATMENT

Authorisation number: UK-0018761-0000-002 IE/BPA 70486-002

UFI: CV6W-D05J-E00K-D9PH

WOOD PRESERVATIVE FOR PROFESSIONAL USE TO PREVENT AND REMEDY AGAINST WOOD BORING LARVAE & WOOD ROTTING FUNGI. A COMPLETE, FAST DRYING, LOW ODOUR WOOD TREATMENT FOR INDOOR AND OUTDOOR TIMBER TO CONTROL WOOD DESTROYING INSECTS AND WOOD ROTTING FUNGUS. HELPS PREVENT RE-INFESTATION. APPLY BY BRUSH OR SPRAY. USE BIOCIDES SAFELY AND SUSTAINABLY. IT IS ILLEGAL TO USE THIS PRODUCT FOR USES OR IN A MANNER OTHER THAN THAT PRESCRIBED ON THIS LABEL.

5 litres

Active ingredients: Permethrin (CAS N° 52645-53-1): 0,35% w/w, Propiconazole (CAS N° 60207-90-1): 0,073% w/w, Tebuconazole (CAS N° 107534-96-3): 0,073% w/w, IPBC (CAS N° 55406-53-6): 0,073% w/w
FIRST AID INSTRUCTION: In case of accidental inhalation of fumes, move to fresh air. If shortness of breath/respiratory distress occurs and persist seek medical advice. In case of eye exposure check for and remove contact lenses, wash eyes with plenty of water maintaining eye lids open for at least 15 minutes. If eye irritation/sensitization occurs and persist seek medical advice. In case of skin contact wash the affected area with plenty of water without scrubbing. If skin irritation/sensitization occurs and persist seek medical advice. In case of ingestion wash mouth with plenty of water. If you experience severe abdominal pain or feel unwell seek medical advice. If necessary take the affected individual to a healthcare centre and bring packaging or label whenever possible. NEVER LEAVE THE AFFECTED INDIVIDUAL UNATTENDED! Advice for medical and healthcare personnel: Symptomatic and supportive treatment. WHEN ASKING FOR MEDICAL ADVICE KEEP PACKAGING OR LABEL AT HAND AND CALL YOUR LOCAL POISON CONTROL CENTER. UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice. Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-809 2166), retain the label for reference.
EMERGENCY MEASURES TO PROTECT THE ENVIRONMENT: Do not discharge the product into drains or into the environment. Prevent entry into waters or soil. Contain spills by covering with absorbing material. Store absorbing material used to absorb spills in drums for waste disposal. Prevent all product entry into drains or waterways. Place containers or drums for disposal of waste recovered in accordance with applicable regulations. If the product contaminates waterways, lakes, rivers or drains, alert the competent authorities in accordance with regulatory procedures into force.
STORAGE CONDITIONS: Keep container tightly closed in original package in a dry and well-ventilated place. Protect from direct exposition to light. At ambient temperature the product has a long term stability for 24 months and is stable under cold and accelerated storage conditions.



Very toxic to aquatic life with long lasting effects. Contains permethrin. May produce an allergic reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wear eye protection. Avoid release to the environment. Collect spillage. Dispose of container to the certified collector centre of dangerous waste.

WARNING

In UK:
Rentokil Initial Supplies Liver-
pool L33 75R
Enquiries: 0151 548 5050
products@rentokil.com
www.rentokilproducts.com
Emergency line: 01342 833022

Authorisation holder: BERKEM Développement – Marais Ouest – FR-24680 Gardonne – France

Batch No: See Pack
CLP20-108

CLD160

UFI: CV6W-D05J-E00K-D9PH

TARGET ORGANISMS

Wood boring insects

Subterranean Termites (*Reticulitermes flavipes*), **House Longhorn Beetle** (*Hylotrupes bajulus*), **Brown Powderpost Beetle** (*Lyctus brunneus*), **Common Furniture Beetle** (*Anobium punctatum*).

Wood rotting fungi

Cellar Fungus (*Coniophora puteana*) and other wood destroying fungi (*Poria placenta*, *Gloeophyllum trabeum*, *Coriolus versicolor*).

APPLICATION RATE

Preventive insects	28 g/m ²
Preventive brown-rot fungi (softwood)	100 g/m ²
Preventive white-rot fungi (hardwood)	200 g/m ²
Curative treatment (wood destroying insects)	300 ml/m ²

Wood intended to be used outdoors* has to be protected by a resistant paint or varnish and not exposed directly to the weather. Application by spraying and injection.

DIRECTIONS FOR USE: The treatment should be applied to all accessible surfaces for both indoor and outdoor* applications. Apply treatment to the surface by brushing or spraying onto the area carefully. Pay particular attention to areas that have many flight holes.

NOTES: For indoor use: make sure surfaces are clean and dry. After application, ventilate well and leave until fully dry. For outdoor* use: make sure surfaces are clean and dry, do not apply in wind or if rain is likely within 24/48 hours. Once surfaces are fully dry they can be overpainted, stained or varnished. In both cases we recommend you test a small hidden area first due to darkening or staining. We recommend an exclusion period of 48 hours, or until all treated surfaces are dry, before you enter the room or touch/move treated surfaces. We advise you wear a mask when using this product. Read the FULL label before use.

CAUTIONS: In all cases when using this product, we strongly advise that you test a small hidden area first. Some discolouration and darkening can sometimes occur depending on the wood and surface type, and depending on whether there is a polish, stain or varnish already on the surface, which can sometimes discolour due to water stain.

ADDITIONAL NOTES: Absorbent materials: Remove absorbent materials and insulation from roof areas and other enclosed spaces before applying Deadline Woodworm Treatment. Do not replace for 14 days.

Electrical cables: Ensure that electrical wiring and circuits are in sound condition before treatment. Do not apply Deadline Woodworm Treatment to lead-covered cable or wiring in suspect condition. Cover junction boxes with polythene sheeting or cling film before treating adjacent timbers. Isolate the area of treatment from the electrical supply by removing fuses before application commences. Do not replace until work is completed.

Logs: Do not use on wood that is intended to be burnt in a fireplace.

Spillages: Wipe up spillages with a paper towel or tissue and dispose of safely.

Used Brushes: Used brushes can be cleaned in water.

USE SPECIFIC RISK MITIGATION MEASURES: Appropriate and suitable personal protective equipment (PPE) is required: chemical resistant gloves. Contact with the skin is to be avoided as the product may produce an allergic reaction. Do not combine different types of application. Freshly treated timber must be stored after treatment under shelter and/or on impermeable hard standing to prevent direct losses to soil or water and any losses from the application of the product shall be collected for reuse or disposal. Do not apply the product on wood which may come into contact with food, feedstuff or livestock. Contains permethrin (pyrethroids), may be lethal to cats. Cats must avoid contact with treated object/area.

*Field of use: situation in which the wood or wood based product is inside a construction, not exposed to the weather and wetting, or is under cover and not exposed to the weather (particularly rain and driven rain) but where occasional, but not persistent, wetting can occur.

CLD160