Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 09/05/2019 Version: 9.0

# Rentokil

	Identification of the substant				
Product form	:	Mixture			
Product name	:	WASP NEST DESTR	OYER FOAM		
Product code	:	PSW97 300ml			
ype of product	:	Biocide			
Registration No		HSE 6455, PCS 93724			
/aporizer	:	Aerosol	Aerosol		
Product group	:	Product			
I.2. Releva	ant identified uses of the substar	nce or mixture and us	ses advised ag	gainst	
1.2.1. Releva	ant identified uses				
ntended for gen	eral public				
Main use catego	ry :	Consumer use			
Jse of the subst	ance/mixture :		A hand held aerosol dispensing foam with a slight solvent type odour. Used as an insecticide or amateur use in the control of wasp nests.		
Jse of the subst	ance/mixture :	Insecticide			
I.2.2. Uses	advised against				
No additional inf	ormation available				
I.3. Detail	s of the supplier of the safety dat	a sheet			
Supplier Rentokil Initial S Liverpool L33 7SR UK	upplies		National Co For UK: Rentokil Initia Liverpool		
Product advice line: +44 (0)151 548 5050 Email: sds@rentokil.com			L33 7SR UK		
			For Ireland:		
			Rentokil Initia Hazel House Millennium P Naas, Co Kil Ireland	e, Park,	
			Tel: +353 (0)	45 850 799	
.4. Emerg	gency telephone number				
Emergency num	ber :	+44 (0)1342 833022			
Country	Organisation/Company	Address		Emergency number	Comment
Ireland	National Poisons Information Centre	PO Box 1297 Beaumont Road 9 Dublin		+353 1 809 2566 (Healthcare	

 Centre
 Beaumont Hospital
 9 Dublin
 (Healthcare

 United Kingdom
 National Poisons Information
 Dudley Road
 0344 892 0111

 Service (Birmingham Centre)
 Dudley Road
 0344 892 0111

 SECTION 2: Hazards identification
 Example 1000

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1H222;H229Serious eye damage/eye irritation, Category 1H318Hazardous to the aquatic environment — Acute Hazard, Category 1H400

09/05/2019

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment - Chronic Hazard, Category 1 H410

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements				
Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
Hazard pictograms (CLP) : GHS02 GHS05 GHS09				
Signal word (CLP)	: Danger			
Hazardous ingredients	: Sodium N-lauroylsarcosinate			
Hazard statements (CLP)	<ul> <li>H222 - Extremely flammable aerosol.</li> <li>H229 - Pressurised container: May burst if heated.</li> <li>H318 - Causes serious eye damage.</li> <li>H410 - Very toxic to aquatic life with long lasting effects.</li> </ul>			
Precautionary statements (CLP)	<ul> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use</li> <li>P273 - Avoid release to the environment.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> <li>P501 - Dispose of contents/container to normal household waste. However if used in a place of work any product and empty container must be disposed of as controlled waste.</li> </ul>			
EUH-statements UFI	<ul> <li>EUH066 - Repeated exposure may cause skin dryness or cracking.</li> <li>9A5W-80RD-W00P-G56C</li> </ul>			

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (EC Index-No.) 649-202-00-6	>= 5	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Sodium N-lauroylsarcosinate	(CAS-No.) 137-16-6 (EC-No.) 205-281-5 (REACH-no) 01-2119527780-39	4 - 5	Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318
Tetramethrin	(CAS-No.) 7696-12-0 (EC-No.) 231-711-6	0.326	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Sodium nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9 (EC Index-No.) 007-010-00-4	0.1 - 0.5	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Dam. 1, H318 Aquatic Acute 1, H400
Cocodimethyl Amine Oxide	(CAS-No.) 308062-28-4 (EC-No.) 931-292-6 (REACH-no) 01-2119490061-47	0.1 - 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1R-trans phenothrin	(CAS-No.) 26046-85-5 (EC-No.) 247-431-2	0.105	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
1,3-butadiene; buta-1,3-diene substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 106-99-0 (EC-No.) 203-450-8 (EC Index-No.) 601-013-00-X	< 0.01	Flam. Gas 1, H220 Press. Gas Muta. 1B, H340 Carc. 1A, H350

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measure	S	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and e	effects, both acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Symptoms/effects after inhalation : May cause respiratory irritation.		
Symptoms/effects after skin contact	: May cause moderate irritation.	
Symptoms/effects after eye contact : Causes serious eye damage.		
4.3. Indication of any immediate medical attention and special treatment needed		

Treat symptomatically. Further information on all Rentokil Initial formulations is lodged with the local National Poisons Information Service.

<b>SECTION 5: Firefightin</b>	ng measures	
5.1. Extinguishing med	dia	
Suitable extinguishing media	: Foam. Water spray.	
Unsuitable extinguishing med	tia : Do not use carbon dioxide. Do not use dry chemical powder.	
5.2. Special hazards a	rising from the substance or mixture	
No additional information ava	ilable	
5.3. Advice for firefigh	iters	
Firefighting instructions	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.</li> </ul>	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidenta	al release measures	
	ons, protective equipment and emergency procedures	
General measures	: Wear suitable personal protective equipment.	
Conoral modouroo		
6.1.1. For non-emergend	cy personnel	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency res	sponders	
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental pre	ecautions	
Prevent entry to sewers and p	public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.	
6.3. Methods and mate	erial for containment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collec spillage. Store away from other materials.	
6.4. Reference to othe	r sections	
See Heading 8. Exposure controls and personal protection.		
<b>SECTION 7: Handling</b>	and storage	
7.1. Precautions for sa		

7.1. Precautions for safe handling	]			
Precautions for safe handling		Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on an open flame or other ignition source.		
Hygiene measures	: Wash hands and other expo smoking and when leaving v	sed areas with mild soap and water before eating work.	, drinking or	
09/05/2019	EN (English)	SDS Ref.: 670	3/10	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2.	Conditions for safe storage, including any incompatibilities		
Storage conditions		: Keep only in the original container in a cool, well ventilated place away from : Store in original container, Do not expose to temperatures exceeding 50 °C/ 122 °F, Keep away from food, drink and animal feedingstuffs, Keep out of reach of children, Protect from heat and direct sunlight, Store in a dry place, Store in a well-ventilated place. Keep cool.	
Incompatible materials		: Sources of ignition. Direct sunlight.	
7.3. Specific end use(s)			
Insecticide.			

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

Ireland	Local name	Liquefied petroleum gas (LPG)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	1800 mg/m³
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (mg/m3)	2250 mg/m³
Ireland	OEL (15 min ref) (ppm)	1250 ppm
United Kingdom	Local name	Liquefied petroleum gas
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1750 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2180 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	1250 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51) (only applies if LPG contains more than 0.1% of buta-1,3-diene)
1,3-butadiene; buta-1,3-	diene (106-99-0)	
EU	Local name	1,3-Butadiene
EU	IOELV TWA (mg/m <sup>3</sup> )	2.2 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	1 ppm
EU	Notes	SCOEL Recommendations (2007)
Ireland	Local name	Buta-1,3-diene
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	2.2 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	1 ppm
Ireland	Notes (IE)	Carc.1A, Muta.1B
United Kingdom	Local name	Buta-1,3-diene
United Kingdom	WEL TWA (mg/m³)	22 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51)

#### 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### **Respiratory protection:**

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Colourless liquid.		
Colour	: Colourless.		
Odour	: kerosene type.		
Odour threshold	: No data available		
pH	: 7-9		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: -245 °C for aerosol propellent		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Non flammable.		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		
Relative density	: 0.9		
Solubility	: No data available		
Log Pow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: No data available		
9.2. Other information			
No additional information available			
<b>SECTION 10: Stability and reactivit</b>	у		
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Not established.			
10.3. Possibility of hazardous reactions			
Not established.			
10.4. Conditions to avoid			
Direct sunlight. Extremely high or low temperatures.			
10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition product	ts		
Fume. Carbon monoxide. Carbon dioxide.			

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified. Not classified.	
1R-trans phenothrin (26046-85-5)		
LD50 oral rat	5000 mg/kg	
LD50 dermal	≥ 2000 g/kg	
LC50 inhalation rat (mg/l)	≥ 2.1 mg/l/4h	
Skin corrosion/irritation	: Not classified	
	pH: 7 - 9	
Additional information	: Based on available data, the classification criteria are not met	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: 7 - 9	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
WASP NEST DESTROYER FOAM	
Vaporizer	Aerosol
Potential adverse human health effects and	: Harmful if inhaled.

Potential adverse human health effects and : Harm symptoms

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - water : Very toxic to aquatic life.			
Tetramethrin (7696-12-0)	· · ·		
LC50 fish 1	0.0037 mg/l		
LC50 other aquatic organisms 2	0.94 mg/l		
EC50 Daphnia 1	0.11 mg/l		
1R-trans phenothrin (26046-85-5)			
LC50 fish 1	2.7 μg/l		
EC50 Daphnia 1	4.3 μg/l		
12.2. Persistence and degradability			
WASP NEST DESTROYER FOAM			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
WASP NEST DESTROYER FOAM			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessme	nt		
No additional information available			
12.6. Other adverse effects			
Additional information	: Avoid release to the environment.		
<b>SECTION 13: Disposal consideration</b>	S		
13.1. Waste treatment methods			
Product/Packaging disposal recommendations	: This product is for amateur use and can be disposed of as normal household waste. However, if used in a place of work, any product and empty container must be disposed of as controlled waste.		
Ecology - waste materials	: Avoid release to the environment.		
SECTION 14: Transport information			
In accordance with ADR / IMDG / IATA / ADN / R			
In accordance with ADK / IMDG / IATA / ADN / R			
14.1. UN number			
UN-No. (ADR)	: 1950		
UN-No. (IMDG)	: 1950		

Safety Data Sheet

UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
JN-No. (RID)	: 1950
I4.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	: AEROSOLS
Fransport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
	. 01
Fransport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1,
MDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 2.1 : 2.1,
<b>ATA</b> Fransport hazard class(es) (IATA) Hazard labels (IATA)	: 2.1 : 2.1,
	,
<b>ADN</b> Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1,
	· 01
Transport hazard class(es) (RID)	: 2.1

Transport hazard class(es) (RID)			
Danger labels (RID)			

: 2.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

:



14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6.	Special processions for usor		
	Special precautions for user		
	and transport		
Classific	ation code (ADR)	:	5F
Special	provisions (ADR)	:	190, 327, 344, 625
Limited	quantities (ADR)	:	11
Excepte	d quantities (ADR)	:	E0
Packing	instructions (ADR)	:	P207, LP02
Special	packing provisions (ADR)	:	PP87, RR6, L2
Mixed p	acking provisions (ADR)	:	MP9
Transpo	ort category (ADR)	:	2
Special (ADR)	provisions for carriage - Packages	:	V14
	provisions for carriage - Loading, ng and handling (ADR)	:	CV9, CV12
Special (ADR)	provisions for carriage - Operation	:	S2
Tunnel I	restriction code (ADR)	•	D
- Trans	port by sea		
Special	provisions (IMDG)	:	63, 190, 277, 327, 344, 959
Limited	quantities (IMDG)	:	SP277
Excepte	d quantities (IMDG)	:	E0
Packing	instructions (IMDG)	:	P207, LP02
Special packing provisions (IMDG)			PP87, L2
EmS-No. (Fire)			F-D
EmS-No	o. (Spillage)	:	S-U
Stowage category (IMDG)			None
- Air tra	nsport		
PCA Ex	cepted quantities (IATA)	:	E0
PCA Lin	nited quantities (IATA)	:	Y203
PCA lim	ited quantity max net quantity (IATA)	:	30kgG
PCA pa	cking instructions (IATA)	:	203
PCA max net quantity (IATA)			75kg
CAO packing instructions (IATA)			203
CAO max net quantity (IATA)			150kg
Special provisions (IATA)			A145, A167, A802
ERG co	de (IATA)	:	10L
- Inland	waterway transport		
Classification code (ADN)			5F
Special provisions (ADN)			19, 327, 344, 625
Limited quantities (ADN)			1 L

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packa (RID)	ages : W14
Special provisions for carriage - Loadir unloading and handling (RID)	ng, : CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:			
	Date of issue	Modified	
2.2	Precautionary statements (CLP)	Modified	
Data sources	COUNCIL of 16 Dece	ember 2008 on classification and repealing Directives 67/	ROPEAN PARLIAMENT AND OF THE n, labelling and packaging of substances and /548/EEC and 1999/45/EC, and amending
Other information	: None.		
Full text of H- and EUH-statements:			
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Aerosol 1	Aerosol Category 1		

	route textery (eral), eutogery e	
Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Carc. 1A	Carcinogenicity, Category 1A	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Gas 1	Flammable gases, Category 1	
Muta. 1B	Germ cell mutagenicity, Category 1B	
Ox. Sol. 3	Oxidising Solids, Category 3	
Press. Gas	Gases under pressure	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Irrit. 2	Skin corrosion/	Skin corrosion/irritation, Category 2		
H220	Extremely flam	Extremely flammable gas.		
H222	Extremely flam	Extremely flammable aerosol.		
H229	Pressurised co	Pressurised container: May burst if heated.		
H272	May intensify fi	May intensify fire; oxidiser.		
H280	Contains gas u	Contains gas under pressure; may explode if heated.		
H301	Toxic if swallov	Toxic if swallowed.		
H315	Causes skin irr	Causes skin irritation.		
H318	Causes serious	Causes serious eye damage.		
H330	Fatal if inhaled	Fatal if inhaled.		
H340	May cause ger	May cause genetic defects.		
H350	May cause car	May cause cancer.		
H400	Very toxic to ac	Very toxic to aquatic life.		
H410	Very toxic to ac	Very toxic to aquatic life with long lasting effects.		
EUH066	Repeated expo	Repeated exposure may cause skin dryness or cracking.		
Classification and procedure	used to derive the classifi	cation for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data		
Eye Dam. 1	H318	Calculation method		
Aquatic Acute 1	H400	H400 Calculation method		
Aquatic Chronic 1	H410	H410 Calculation method		

RI - SDS EU (REACH Annex II) CLP

#### Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Neither Rentokil Initial pic nor any of its subsidiaries accepts any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2019) Rentokil Initial plc, Rentokil Initial Power Centre, Unit A1 & A2 Link 10, Napier Way, Crawley, RH10 9RA. United Kingdom. Telephone: +44 (0) 1342 833022