

DIGRAIN AC



Marketed by **LODI UK**
Building 69 Bay 3 - Pensnett Trading Estate
Kingswinford West Midlands DY6 7FD (UK)
Tel. 01384 40 42 42
www.lodi-uk.com

1 LITRE

CONTENTS :
ALPHACYPERMETHRIN :
5,85% W/W



Warning

H302 Harmful if swallowed.
H410 Very toxic to aquatic life with long lasting effects.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor/if you feel unwell.
P330 Rinse mouth



'E3114'b

INSECTICIDE FOR PROFESSIONAL USE AGAINST FLYING AND CRAWLING INSECTS SUCH AS FLIES, MOSQUITOES, ANTS, COACKROACHES, SILVERFISH AND OTHER BRISTLETAILS, FLEAS, BEETLES, MOTHS, MITES, TICKS AND BOOKLICE IN DOMESTIC, COMMERCIAL AND INDUSTRIAL PREMISES (INCLUDING PRIVATE HOUSING ,HOSPITALS, HOTELS, PUBLIC BATHS, OFFICES, CINEMA, HALLS ETC) AS WELL AS FOOD STORAGE, HANDLING AND MANUFACTURING PREMISES.
PRODUCT MAY ALSO BE USED IN POULTRY HOUSES AGAINST POULTRY RED MITES AND LITTER BEETLES.
NOT FOR USE ON GRAIN, IN GRAIN STORES OR FOR ADMIXTURE WITH FOOD. PRODUCT MAY ONLY BE APPLIED IN CONTINUOUSLY OCCUPIED AREA SUCH AS HOSPITAL WARDS, RESIDENTIAL/NURSING HOMES AND PRISONS AS A CRACK AND CREVICE OR BAND/SPOT TREATMENT.

PRECAUTIONS

- * The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.
- * Avoid excessive contaminations of coveralls.
- * This material and its container must be disposed of in a safe way.
- * **WASH HANDS AND EXPOSED SKIN** before meals and after use.
- * **KEEP IN A SAFE PLACE.**
- * Keep away from food drink and animal feedingstuffs.
- * Do not empty into drains.
- * **REMOVE OR COVER ALL FISH TANKS AND BOWLS** before application.
- * **DO NOT TOUCH TREATED SURFACES UNTIL DRY.**
- * **DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.**
- * **EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.**
- * **COVER ALL WATER STORAGE TANKS** before application.
- * **HAZARDOUS TO BEES.**
- * **DO NOT APPLY TO CLOTHING AND BEDDING.**
- * **COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.**

TO AVOID RISKS TO MAN AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTIONS FOR USE.
USE ONLY AS DESCRIBED ON THE LABEL.

STATUTORY CONDITIONS RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE.
FOR USE ONLY BY PROFESSIONAL OPERATORS.
Application method: SURFACE SPRAY.

APPLICATION RATE:
NORMAL RATE: DILUTE 25ML OF PRODUCT WITH 4.975 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACES.
SPECIAL RATE: DILUTE 50ML OF PRODUCT WITH 4.950 LITRES OF WATER THEN APPLY 1 LITRE OF DILUTED PRODUCT PER 20 SQUARE METRES OF SURFACES.
IN ANIMAL HUSBANDRY SITUATIONS WHERE TREATMENT IS MADE TO PREMISES WHEN OCCUPIED BY BIRDS PRODUCT IS TO BE APPLIED NO MORE THAN TWICE PER CROP.
This product is approved under The Control of Pesticides Regulations 1986 (as amended), for use as directed.

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all conditions of Approval.

Read all precautions before use. PCS Number : 98648
HSE N°. 9871