INSECTICIDE FOR PROFESSIONAL USE AGAINST FLYING AND CRAWLING INSECTS including ants, cockroaches, fleas, flies, wasps, hornets, mosquitoes, stored product moths, red mites, fruit flies and bedbugs by application to surfaces, hard and soft furnishings, cracks and crevices, around the base of machinery/equipment or directly at insects in domestic, commercial and industrial premises (including kitchens), hospitals (excluding occupied wards), military establishments, food handling / processing / storage / preparation areas, in and around farm buildings, dairies, milking parlours, animal rearing facilities, animal housing, ant/hornet/wasp nests plus amenity areas, sewage works (excluding filter beds), refuse disposal and waste storage areas (including refuse tips and landfill sites).

Active ingredients:

Permethrin: 0.64% w/w. Tetramethrin: 0.63% w/w

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE

FOR USE ONLY AS AN INSECTICIDE

FOR USE ONLY BY PROFESSIONAL OPERATORS

SURFACE SPRAY: APPLY 50 ML OF PRODUCT PER 6.25 SQUARE METRES OF SURFACE OR SPRAY SHORT BURSTS DIRECTLY AT INSECTS

SPACE TREATMENT (FOG / ULV): APPLY 0.4ML OF PRODUCT PER CUBIC METRE OF

TREATABLE VOLUME

Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval Regulati precautions before use. HSE No. 7494 / PCS No. 94720

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

*Avoid excessive contamination of coveralls.
*DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

*This material and its container must be disposed of in a safe way.

*If swallowed, do not induce vomiting: seek medical advice immediately and show this

*Wear suitable protective clothing and suitable gloves.

*Do not breathe spray.
*In case of insufficient ventilation wear suitable respiratory equipment.

Guidance on suitable respiratory protective equipment and eye protection is provided in HSE Booklet HS(G)53: "The Selection, Use and Maintenance of Respiratory Protective Equipment

A Practical Guide"

*Do not empty into drains

*REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.
*UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED.

AREAS UNTIL SURFACES ARE DRY.

*DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

*EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.
*COVER ALL WATER STORAGE TANKS before application.

*ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981.

BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL

ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR

*HAZARDOUS TO BEES. *DO NOT USE ON BEEHIVES OR BEEKEEPING EOUIPMENT.

*DO NOT APPLY DIRECTLY TO ANIMALS. *DO NOT APPLY TO CLOTHING AND BEDDING.

Protect milk machinery and milk containers from contamination.

*WASH HANDS AND EXPOSED SKIN before meals and after use.

*KEEP IN A SAFE PLACE.
*Keep out of the reach of children.

*Keep away from food drink and animal feedingstuffs.
*DO NOT HANDLE TREATED FABRICS UNTIL DRY AND AIR THOROUGHLY BEFORE

*COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE

APPLICATION

To avoid risks to man and the environment, comply with the instructions for use.



Tel:+33(0)2 99 08 48 59 - Fax: +33(0)2 99 08 38 68

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed. HSE n° 7494

Use only in accordance with the directions on the label. Safety Data Sheet available on request for professional users.

H304 May be fatal if swallowed and enters

H410 Very toxic to aquatic life with long lasting

Avoid release to the environment.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

Do NOT induce vomiting.

Dispose of contents/container in accordance with applicable regulations.

Contents: Hydrocrabures, C11-C14, n-alcanes,

isoalcanes, cycliques, <2% aromatiques Permethrin: May produce an allergic reaction.



WASH ANY CONTAMINATION from skin or eyes immediately.

Keep container tightly closed.
KEEP IN A SAFE PLACE.
ENSURE ADDEQUATE VENTILATION when applying.
VENTILATE TREATED AREAS THOROUGHLY after application.
DO NOT HANDLE TREATED FABRICS UNTIL DRY AND AIR THOROUGHLY BEFORE USE.

Keep away from sources of ignition. No smoking. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY.

COLLECT EGGS AND REMOVE FEED. EXPOSED WATER AND MILK BEFORE APPLICATION.

DIRECTIONS FOR USE

FOR USE ONLY AS AN INSECTICIDE. USE ONLY AS DESCRIBED ON LABEL. SPACE TREATMENT AND SURFACE SPRAY.

APPLICATION RATE

Apply 50ml of product per 6.25 square metres of surface, or spray short bursts directly at

Space treatment (fog/ulv):

Apply 0.4ml of product per cubic metre of treatable volume.

Important: Space spray containing pyrethrins or pyrethroids must not be used more than once a week against houseflies in intensive or controlled environment animal houses as they could cause control failure due to resistance. IF MORE FREQUENT TREATMENTS ARE REQUIRED, use a product with a different active ingredient and, if necessary, a different control method (such as bait).

YOUR COMMERCIAL CONTACT:

LODI UK

Building 69 Bay 3 Pensnett Trading Estate Kingswinford West Midlands Tel. 01384 40 42 42

www.lodi-uk.com

