

**Pybuthrin® 33**

A pyrethrin spray combining rapid knockdown and kill with non-persistence making it suitable for use in food handling premises.

Pybuthrin 33 will also flush out insects from their harbourages.

For the control of:

Flying Insects e.g. flies, fruit flies, mosquitoes, wasps, and stored product moths.

The spray may also be used as an aid to the control of crawling insects such as cockroaches and stored product insects and for the control of wasp nests.

DIRECTIONS FOR USE

A ready-to-use space and surface (contact spray) for use in the following situations.

Domestic Situations: Private housing.

Food Handling:

Processing: food manufacture, kitchens, slaughterhouses etc.

Storage: food retailers, warehouses, raw material stores etc.

Preparation: restaurants, commercial kitchens etc.

Public Buildings:

Hospitals (excluding occupied wards), hotels, public baths, municipal buildings, churches, halls, community centres, cinemas etc.

Outdoors

Refuse tips, sewage works (excluding filter beds), amenity areas etc.

RATES OF APPLICATION

As a space spray indoors:

1 litre to 3000 m³

Close windows and doors before spraying and for at least 30 minutes afterwards.

Distribute evenly as a fine mist or fog.

For moth infestations, treatment at weekly intervals is recommended, until infestations are brought under control.

More frequent applications may be necessary for heavy infestations.

Spray as frequently as the situation demands for flying insect control.

As a space spray outdoors (Urban/Industrial sites):

Apply at rates up to 25 litres per ha depending upon the size of the area to be treated. In very large areas rates of application as low as 5 litres per ha may be acceptable, but in smaller areas this must be increased up to a maximum of 25 litres per ha.

The best conditions for outdoor spraying occur in the early morning or late afternoon and evening when conditions are most likely to be still.

Spray as frequently as the situation demands.

As a surface (contact) spray:

Apply at a rate of up to 5 litres per 100 m² i.e. sufficient to dampen the insects.

Apply directly to the insects present on the fabric of warehouses, granaries, mills, bakeries and similar situations, or insects on the surfaces of bags and cases containing stored food products.

Special attention should be paid to cracks and crevices and other insect harbourages.

For wasp nests:

Apply liberally and directly to nest or to entrance holes of concealed nests at dusk or when activity around the nest is quiet.

SPRAYING EQUIPMENT

As a space spray:

Apply with any suitable hand, mechanically or electrically operated sprayer capable of producing a fine mist or fog.

As a surface (contact) spray:

Apply with any suitable hand, mechanically or electrically operated sprayer capable of producing a coarse spray. Use only equipment adjusted to give a coarse spray.

WARNINGS

Avoid inhalation of spray and contact with skin and eyes.

Do not spray the moving parts of any machinery, electric motors and switchgear.

Do not spray and avoid spilling on plastics, synthetic tiles or light coloured surfaces.

This spray will not harm ordinary fabrics or affect commonly used dyes, but before spraying delicate or expensive materials test first by rubbing a little spray on some inconspicuous spot.

Polished surfaces may lose their gloss until re-polished.

This spray is NOT suitable for use on plants.

It is illegal to disturb bats or their roosts and this may influence the use of Pybuthrin 33 in roof spaces etc.

No treatment should be made within a roof space without first ascertaining whether bats use the site as a roost. All bats are protected under the Wildlife and Countryside Act (1981)

or the Wildlife (Northern Ireland) Order (1985). Before treating any structure used by bats, consult English Nature, Scottish Natural Heritage, The Countryside Council for Wales or Department of the Environment for Northern Ireland.

PRECAUTIONS

Use only in well ventilated areas.

VENTILATE TREATED AREAS THOROUGHLY after application.

WASH HANDS AND EXPOSED SKIN before meals and after use.

WASH ANY CONTAMINATION from skin or eyes immediately.

Keep away from food, drink and animal feeding stuffs.

Keep out of the reach of children.

Keep only in the original container.

Keep container tightly closed.

KEEP IN A SAFE PLACE.

Use appropriate containment to avoid environmental contamination.

To avoid risks to man and the environment, comply with the instructions for use.

Safety data sheet available for professional user on request.

Pybuthrin 33 - GB - 5 L - GB05820307D - ARTICLE 05869284

Approval Holder:

Bayer Environmental Science SAS, Lyon

Emergency phone : UK : 0800 220876

Pybuthrin® is a registered trademark of Bayer.

© Copyright of Bayer 2003 – All rights reserved.

Bayer Environmental Science
Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge CB4 0WB
Tel : 00800 1214 9451



Bayer Environmental Science

A Business Operation of Bayer CropScience



Pybuthrin® 33

Insecticide

5 Le



Xn

Contains: Pyrethrins including cinerins 0.38% w/w (3 g/l), odourless kerosine and synergised with piperonyl butoxide.

Harmful.
Harmful: May cause lung damage if swallowed.
Irritating to eyes and skin.



N

Dangerous for the environment.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

STATUTORY CONDITIONS RELATING TO USE.**FOR USE ONLY AS AN INSECTICIDE.**

FOR PROFESSIONAL USE in Public Hygiene/Nuisance.

Dose :

Space spray:

Indoors: 1 litre of product per 3000 m³.

Outdoors: Up to 25 litres per ha.

Surface (contact) spray: 5 litres of product per 100 m².

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

FOR USE ONLY BY PROFESSIONAL OPERATORS.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing, gloves and eye/face protection.

DO NOT BREATHE FOG OR SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY.

However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER WATER STORAGE TANKS before application.

WHEN USING DO NOT EAT DRINK OR SMOKE.

Keep away from sources of ignition - No smoking

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

HARMFUL TO FISH AND OTHER AQUATIC LIFE REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

HAZARDOUS TO BEES.

This material and its container must be disposed of in a safe way.

AVOID ALL CONTACT WITH PLANT LIFE.

READ ALL PRECAUTIONS BEFORE USE

(HSE 5106)

In Fire PCS No. 93411

When stored in a dry place at temperature not exceeding 25°C Pybuthrin 33 has a shelf life of 5 years.

This product is approved under The Control of Pesticides Regulations (1986) for use as directed (HSE 5106).