

Risk and Safety information

Warning, H410 Very toxic to aquatic life with long lasting effects. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container in accordance with applicable regulations.

Additional Safety Information:

To avoid risks to human health and the environment, comply with the instructions for use. Use bait containers clearly marked "poison" at all surface baiting points. Remove all remains of bait, dead rodents during and after treatment and dispose of safely. Prevent access to bait by children, domesticated animals and pets, (particularly cats, dogs and pigs). Harmful to wildlife. The active substance in the form of baits may be palatable to humans and non-target species in sufficient quantity to produce toxic effects. **First aid information for use in the event of accidental exposure or ingestion:** In case of accident, suspected exposure or if you feel unwell, seek medical advice immediately (show the label where possible). Keep away from food, drink and animal foodstuffs. When using, do not eat, drink or smoke. This product and its container must be disposed of in a safe way. Keep only in the original container. Wear suitable gloves.

Poison information: For information or to report a poisoning incident contact the National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092186), retain the label for reference. IE/BPA: 70057



Particulars of direct or indirect adverse effects: Most important symptoms and effects, both acute and delayed; Cardiac arrhythmia, Convulsions, Unconsciousness, Reduced reactivity, Drowsiness, Impairment.

In cases of severe poisoning, the following may occur: Central nervous system depression, Hypotension, Bradycardia and Hypothermia. Note that poisoning symptoms may develop over the course of several days. **First Aid:** In case of exposure, contact the poison control centre immediately and in all cases the ambulance service or a doctor and describe the situation (provide label indications and assess the exposure dose). At the same time and while waiting for a response:

First aid, if inhaled: Breathe fresh air and rest. In contact with the skin. Remove contaminated clothing, wash the skin with soap and plenty of water. Do not use solvents or thinners. In contact with the eyes: Wash under a stream of water (tepid if possible) for several minutes and keep the eyelids open under the flow of water. If swallowed: Seek medical advice immediately and show this container or label. Do not induce vomiting. Whatever the amount of product ingested, do not eat and or drink anything. Place the victim in a prone recovery position and protect him/her from any injury in the event of sudden movements or convulsions. Monitor his/her respiration. Follow the doctor's advice. In case of acute distress, call the emergency number 999 (or 112). Note to Physician: Contains a nervous system depressant and a convulsant rodenticide. Precocious bronchial congestion. Treatment is symptomatic and there is no specific antidote.

Precautions for safe handling and use: The use of gloves is advised. Do not decant product into unlabelled containers. A thorough survey of the infested area is essential, particularly in secluded and sheltered places, to determine the extent of the infestation. Where possible, secure baits so that they cannot be dragged away. Dead rodent bodies, remains of unused bait or any fragments of bait found away from the bait station must be collected during all control operations to minimize the risk of consumption and poisoning to children, companion animals and other non-target animals. Wash hands after use of the product, and before eating, drinking or smoking. Do not place on surfaces and utensils that may come into contact with food to avoid contamination of food for human and animal consumption. Use integrated management methods such as the combination of methods in chemical and physical control and health measures. The product must be used in tamper-resistant bait stations. Bait stations could be used inside domestic, industrial and commercial buildings including farm buildings in infested areas (along walls, windows...). Distance between bait stations must be respected. Prevent access to children, pets and wild animals. Place the bait stations in sites sheltered from flooding. Do not open the sachet. Do not use the product in places where cases of resistance are suspected or established. Warn the company responsible for placing the product on the market if there are any cases found where the product is not effective or that there are signs of resistance starting to appear. Store in a cool, dry, well-ventilated place. Keep only in original container.

BLACK PEARL PASTE – a ready-to-use (RB) Paste

A ready-to-use paste bait containing Alphachloralose (4% w/w) for use as a rodenticide by professionals for the control of mice indoors for the protection of public health, stored products and materials. Use Biocides Safely and Sustainably. For Use as a Rodenticide Only. It is illegal to use this product for uses or in a manner other than that prescribed on this label. NOT for Sale to general Public.

A ready-to-use paste bait containing Alphachloralose (4% w/w) for use as a rodenticide by professionals for the control of mice indoors for the protection of public health, stored products and materials.

Baits must be securely deposited in baiting stations or other coverings so as to minimise the risk of consumption by other animals or children

Mice (Juveniles and Adults): Use bait points of 5-20g of product. Place bait points 5 metres apart (3 metres apart for high infestation).

Inspect and refill the bait stations few days after the first application then once in a week as long as the bait is consumed, replace any bait eaten by rodents or that has been damaged by water or contaminated by dirt. If all the bait has been eaten from certain areas, increase the quantity of bait by placing more bait points. Do not increase the bait point size. Replace any bait eaten by rodents or that has been damaged by water or contaminated by dirt. Use the number of sachets in the recommended effective dose per bait box at recommended intervals for the product application.

Efficacy: Symptoms appear a few hours after ingestion and the rodents die a few days later without arousing their fellows' suspicion.

Disposal measures: This material and its container must be disposed of safely. Dispose of packaging, remains of unused product and dead rodents in accordance with local regulations.

Do not dispose of the product into the environment or sewage system. The packaging must not be reused or recycled. If required, consult a professional waste operator or local authority.

Resistance information: The resistance status of the rodent population to Alphachloralose should be taken into account when considering the choice of rodenticide to be used.

Where resistance to Alphachloralose has been shown or is suspected, resistant management strategies should be employed.

Marketed by: LODI UK - Pensnett Trading Estate 3rd Avenue - KINGSWINFORD -
West Midlands DY6 7FD - United Kingdom -
Tel: 0044 (0)1384 40 42 42
Approval holder: LODI SAS - PA des Quatre Routes -
35390 Grand-Fougeray France.

Batch

Exp:

Pack size: 1 kg